



CFORCE 400
MSRP \$4,999

[VIEW](#)



CFORCE 500
MSRP \$5,999

[VIEW](#)



CFORCE 600
MSRP \$6,999

VIEW



CFORCE 600 TOURING
MSRP \$7,499

VIEW



CFORCE 800 XC
MSRP \$8,999


VIEW




CFORCE 1000
MSRP \$9,999

[VIEW](#)

CX FORCE SERIES





PACK EVERYTHING ESPECIALLY YOUR ADVENTUROUS SPIRIT

If your idea of a perfect day of exploring might actually be several days, the new C-Force 1000 Overland is the machine for you. In addition to the 963cc powerplant and a long list of extras, the 1000 Overland has special hard-side travel cases so you can bring along plenty of gear. Throw in a tent, sleeping bags, fishing tackle, and hunting supplies—the possibilities are endless. Or choose the smooth riding 800 XC. Maybe you'd prefer the 600 Touring or 600, two next-generation chassis designs that are loaded to the hilt and full of style. If you'd rather ride a mid-size machine, pick either the 500 or 400 model. Anything you choose—whether for work or for play—the adventure begins aboard the C-Force.

CFORCE

FEATURES

**1000
OVERLAND**



The CFORCE 1000 Overland has a 79 horsepower 963cc V-twin engine to take on countless miles of trails. Three quick-detach hard-side travel cases allow for plenty of gear so you can be fully-equipped for that next off-road adventure.

3 REMOVABLE HARD-SIDE TRAVEL CASES

Protect extra gear from the elements and easily detach to take with you. Make room for an extra rider by adding the passenger seat accessory.

FRONT FAIRING

An integrated windscreen and hand guards help protect the rider from the elements.

HEAVY DUTY BUMPERS
You'll find heavy duty steel front and rear bumpers to protect your machine.

3,000 POUND WINCH
With a handlebar-mounted control switch.

BASH PLATE & SKID PLATES
A high strength aluminum front bash plate, and durable full length HDPE skid plates to handle nasty rocks and stumps.

BEADLOCK RIMS

CST Clincher off-road tires on 14 inch rims with beadlock, for when nature gets nasty.



ELECTRONIC POWER STEERING

Variable assist electronic power steering gives you optimal steering feedback in all conditions.

REAR TRAILING ARM SUSPENSION

Equipped with fully adjustable gas shocks to help smooth out the ride.



2UP

SCULPTED
2-UP SEATING

800 XC

If you want the latest technology for the trail, the CFORCE 800 XC is your machine. Bragging rights include a trailing arm rear suspension and premium brakes for great trail and off-road performance. You'll also enjoy sculpted 2-up seating, and even a USB port to keep those devices charged.



Bright white projector beam headlights accented with stylish LED strips.



TRAILING ARM REAR SUSPENSION

Tackle rugged terrain and navigate tight, twisting trails with maximum comfort and confidence.

COMPOSITE-OVER-STEEL FRONT AND REAR RACKS

Bring all your accessories and gear. These rugged racks feature a new composite-over-steel design for added durability and ease of attachment.

ELECTRONIC POWER STEERING

Variable assist electronic power steering gives you optimal steering feedback in all conditions.

NEW HANDLEBAR CONTROLS INCLUDING HAND BRAKE AND PARKING BRAKE LEVER

Designed with improved ergonomics. [1000 Overland and 800 XC]

3,000 POUND WINCH



With a handlebar-mounted control switch.

ALUMINUM ALLOY WHEELS

Lightweight aluminum rims are machined and polished for an eye-catching finish.


FENDER FLARES

Rugged plastic is specifically designed to keep mud, water and debris away from rider and the machine.



SCULPTED 2-UP SEATING

Superior support and optimized seating position for all-day riding comfort. Utilizes robust materials and high-quality stitching for long-lasting durability.



The CFORCE 600 is available in a 1- or 2-up model. With a powerful 580cc EFI engine, these eye-catching machines offer more size and capacity. The 600 Touring model has a longer chassis and a comfortable sculpted high back passenger seat. Both 600s have extra cargo storage space located in the fender.

600 600 TOURING




2UP

SCULPTED
2-UP SEATING
(600 Touring Only)

DIGITAL GAUGE

Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.



USB PORT
Power up on the go.



STORAGE COMPARTMENT
Ample storage space with easy access to all your personal items.

Shown with optional accessories.



NEW FRONT AND REAR RACK DESIGN

Holds up to 100 lbs./75 lbs. front/rear for 600 Touring. 75/150 front/rear for 600 one-up. Designed to secure your cargo and attachments more easily.

SCULPTED 2-UP SEATING
(600 Touring only) Superior support and optimized seating position for all-day riding comfort.

HAND GUARDS
Plastic reinforced for maximum hand protection.

**HAND BRAKE WITH
PARKING BRAKE LEVER**

FENDER FLARES
Durable plastic flares minimize mud, water and debris from spraying over you and your machine.

ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished.

3,000 POUND WINCH
Comes standard with a handlebar-mounted switch.

RIDE VISION
LED array reflector style sets you apart. 80% brighter than halogen.

CFORCE[®] FEATURES

**400
500**



Wanna break out and ride without breaking the bank? The CFORCE 400 and 500 are mid-size do-all machines that offer great value with lower price tags. Both feature rugged steel front and rear racks and halogen headlights. The 500 also gets aluminum rims, plus electronic power steering and a 2,500 lb. winch.

HIGH INTENSITY HEADLIGHTS

Bright halogen headlights with LED accents help light up the trail.



USB PORT

Lets you power up on the go. Also has a 12 volt accessory outlet.

HAND BRAKE WITH PARKING BRAKE LEVER

ELECTRONIC POWER STEERING
Variable assist electronic power steering gives you optimal steering feedback in all conditions. (Not available on 400)

2,500 POUND WINCH
With a handlebar-mounted control switch. (500 only)



ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished for an eye-catching finish. (500 only, 400 has steel)

500 HIGH OUTPUT ENGINE

4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch[®] Electronic Fuel Injection and CVTech clutching.



FRONT AND REAR STEEL RACKS

The rugged steel construction features 75 lb. front rack capacity and 150 lb. rear capacity.




DIGITAL GAUGE

Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.



**ARRIVING
SPRING 2021**




CFORCE® 1000 OVERLAND

963cc V-twin cylinder EFI engine, heavy duty steel bumpers and skid plates, beadlock rims, 3 removable hard-side travel cases, trailing arm rear suspension, 3,000 lb. winch.



CFORCE® 800 XC

800cc V-twin cylinder EFI engine, front and rear composite-over-steel racks, 2-up seating, trailing arm rear suspension, 3,000 lb. winch.



CFORCE® 600 TOURING

580cc single cylinder EFI engine, 2-up seating, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.



CFORCE® 600

Shown with optional accessories.



CFORCE® 500

Shown with optional accessories.




CFORCE® 400

580cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.

495cc single cylinder EFI engine, front and rear steel racks, aluminum rims, 2,500 lb. winch, electronic power steering.

398cc single cylinder EFI engine, front and rear steel racks, steel rims, digital gauge.



POWER & DRIVETRAIN

ENGINE TYPE	400	500	600	600 TOURING	800 XC	1000 OVERLAND
Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 6-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 6-valve
DISPLACEMENT	396cc	495cc	580cc	580cc	800cc	933cc
MAX POWER	31 HP @ 7200 RPM	38 HP @ 6800 RPM	40 HP @ 6750 RPM	40 HP @ 6750 RPM	62 HP @ 6700 RPM	77 HP @ 7000 RPM
MAX TORQUE	24 ft. lbs. @ 6000 RPM	32 ft. lbs. @ 5800 RPM	36 ft. lbs. @ 5750 RPM	36 ft. lbs. @ 5750 RPM	53 ft. lbs. @ 6000 RPM	60 ft. lbs. @ 6200 RPM
FUEL SYSTEM	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Delphi® EFI	Bosch® EFI
TRANSMISSION	CYTech Automatic P/R/N/H/L	CYTech Automatic P/R/N/H/L	CYTech Automatic P/R/N/H/L	CYTech Automatic P/R/N/H/L	CYTech Automatic P/R/N/H/L	CYTech Automatic P/R/N/H/L
DRIVE	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock

DIMENSIONS

L x W x H	82.6" x 43.3" x 45.3"	82.6" x 43.3" x 45.3"	81.1" x 46.6" x 48"	83.9" x 46.6" x 50.1"	90.5" x 48" x 50.7"	90.5" x 48" x 56.7"
WHEEL BASE	49.5"	49.6"	50.4"	53.3"	58.3"	58.3"
GROUND CLEARANCE	9.8"	9.8"	10.6"	10.6"	11.2"	11.8"
CURB WEIGHT	742 lbs.	790 lbs.	870 lbs.	915 lbs.	993 lbs.	993 lbs.

FEATURES

BRAKING	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake
SUSPENSION	Double A-arm independent	Double A-arm independent	Double A-arm independent	Double A-arm independent	Front: High clearance A-arm independent Rear: trailing arm independent	Front: high clearance A-arm independent Rear: trailing arm independent
SHOCKS	Front: Spring pre-load adjustable, oil damped Rear: Spring pre-load adjustable, oil damped	Front: Spring pre-load adjustable, oil damped Rear: Spring pre-load adjustable, oil damped	Front: Spring pre-load adjustable, oil damped Rear: Spring pre-load adjustable, oil damped	Front: Spring pre-load adjustable, oil damped Rear: Spring pre-load adjustable, oil damped	Front: High pressure gas, rebound adjustable Rear: High pressure gas, compression and rebound adjustable	Front: High pressure gas, rebound adjustable Rear: High pressure gas, compression and rebound adjustable

WHEELS

12" Steel	12" Cast aluminum alloy	12" Cast aluminum alloy	12" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy with bead locks
Digital gauge, USB port, engine braking, halogen headlights with LED accents, 2" receiver, 12 volt power outlet, horn	Electronic power steering, 2500 lb. winch, digital gauge, USB port, engine braking, halogen headlights with LED accents, 2" receiver, 12 volt power outlet, horn	Electronic power steering, 3000 lb. winch, digital gauge, USB port, Bluetooth call indicator, engine braking, RideSaver™ LED headlights & taillights with backup lights, 2" receiver, hand guards, 12 volt power outlet, horn	Electronic power steering, 3000 lb. winch, digital gauge, USB port, Bluetooth call indicator, engine braking, RideSaver™ LED headlights & taillights with backup lights, 2" receiver, hand guards, 12 volt power outlet, horn	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlights with LED accents, digital gauge, 2" receiver, hand guards, 12 volt power outlet, horn	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlights with LED accents, digital gauge, 2" receiver, hand guards, 12 volt power outlet, horn

ADDITIONAL FEATURES

Lava Orange, Royal Blue, Nebula Black, True Timber Camo

Fire Red, Lava Orange, Royal Blue, True Timber Camo

Titanium Grey, Lava Orange, Royal Blue, True Timber Camo

Titanium Grey, Lava Orange, Royal Blue, True Timber Camo

Titanium Grey, Lava Orange, Athens Blue, True Timber Camo

Granite Ridge, VSX Midnight